

nubco

co

TRAILER RANGE



1300 2 NUBCO
nubco.com.au

WE CAN REGISTER
YOUR TRAILER IN STORE

1 YEAR LIMITED
WARRANTY
CONDITIONS APPLY

**WE CAN REGISTER
YOUR TRAILER IN STORE**

CAGE

Single Axle

6'x 4' 7'x 4' 7'x 4'6" 7'x 5' 8'x 5'

Dual/ Tandem Axle

8'x 5' 9'x 5' 10'x 5' 10'x 6'
12'x 6' 12'x 6'6"

Load Rating (GVM)

Up to 1500 kg - Single Axle

Up to 4500 kg - Dual Axle

Cage Sizes

2ft (600mm) RHS

3ft (900mm) RHS

4ft (1200mm) RHS



BIKE

Single Axle

6'x 4'

Load Rating (GVM)

Up to 750 kg



ALL TRAILERS COMPLY TO AUSTRALIAN DESIGN RULES

GVM = GROSS VEHICLE MASS ALL DIMENSIONS ARE APPROXIMATE RHS = RECTANGULAR HOLLOW SECTION

**WE CAN REGISTER
YOUR TRAILER IN STORE**

TRADES

Single Axle

6'x 4' 7'x 4' 7'x 4'6"

7'x 5' 8'x 5'

Dual/ Tandem Axle

8'x 5' 9'x 5' 10'x 5'

10'x 6' 12'x 6' 12'x 6'6"

Load Rating (GVM)

Up to 1500 kg - Single Axle

Up to 4500 kg - Dual Axle

Optional Features

Gas Strut Side Doors

Air Compressor Box



CAR

Dual/ Tandem Axle

10'x 5' 10'x 6' 12'x 6' 12'x 6'6"

14'x 6'6" 16'x 6'6"

Load Rating (GVM)

Up to 4500 kg



ALL TRAILERS COMPLY TO AUSTRALIAN DESIGN RULES

GVM = GROSS VEHICLE MASS ALL DIMENSIONS ARE APPROXIMATE RHS = RECTANGULAR HOLLOW SECTION

**WE CAN REGISTER
YOUR TRAILER IN STORE**

GARDEN

Single Axle

6'x 4' 7'x 4' 7'x 4'6" 7'x 5' 8'x 5'

Dual/ Tandem Axle

8'x 5' 9'x 5' 10'x 5'

10'x 6' 12'x 6' 12'x 6'6"

Load Rating (GVM)

Up to 1500 kg - Single Axle

Up to 4500 kg - Dual Axle

Optional Features

Hydraulic Tilt/ Tipper

Enclosed Lawn Mower Platform



TIPPER

Single Axle

6'x 4' 7'x 4' 7'x 4'6"

7'x 5' 8'x 5'

Dual/ Tandem Axle

8'x 5' 9'x 5' 10'x 5'

10'x 6' 12'x 6' 12'x 6' 6"

14'x 6'6" 16'x 6'6"

Load Rating (GVM)

Up to 1500 kg - Single Axle

Up to 4500 kg - Dual Axle

Optional Features

Corner Stabilisers

Slide out ramps



ALL TRAILERS COMPLY TO AUSTRALIAN DESIGN RULES

GVM = GROSS VEHICLE MASS ALL DIMENSIONS ARE APPROXIMATE RHS = RECTANGULAR HOLLOW SECTION

STOCK

Dual/ Tandem Axle

8'x 5' 9'x 5' 10'x 5'

10'x 6' 12'x 6' 12'x 6'6"

14'x 6'6" 16'x 6'6"

Load Rating (GVM)

Up to 4500 kg



CUSTOM

Our Designs

Customise one of
our styles

Your Design

Bring your design & we'll
build it



VAN

Single Axle

6'x 4' 7'x 4' 7'x 4'6"

7'x 5' 8'x 5'

Dual/ Tandem Axle

8'x 5' 9'x 5' 10'x 5'

10'x 6' 12'x 6' 12'x 6'6"

Load Rating (GVM)

Up to 1500 kg - Single Axle

Up to 4500 kg - Dual Axle

Optional Features

Internal Shelving

Sub Compartments



PLANT

Dual/ Tandem Axle


8'x 5' 9'x 5' 10'x 5'

10'x 6' 12'x 6' 12'x 6'6"

14'x 6'6" 16'x 6'6"

Load Rating (GVM)

Up to 4500 kg



ALL TRAILERS COMPLY TO AUSTRALIAN DESIGN RULES

GVM = GROSS VEHICLE MASS ALL DIMENSIONS ARE APPROXIMATE RHS = RECTANGULAR HOLLOW SECTION

BOX

Single Axle

6'x 4' 7'x 4' 7'x 4'6"

7'x 5' 8'x 5'

Dual/ Tandem Axle

8'x 5' 9'x 5' 10'x 5'


10'x 6' 12'x 6' 12'x 6'6"

14'x 6'6" 16'x 6'6"

Load Rating (GVM)

Up to 1500 kg - Single Axle

Up to 4500 kg - Dual Axle



ATV

Single Axle

5'x 3'6"

Load Rating (GVM)

Up to 750 kg





**WE CAN REGISTER
YOUR TRAILER IN STORE**

CONTACT

1300 2 NUBCO
sales@nubco.com.au

Head Office

46 Formby Rd
Devonport TAS 7310
03 6423 6211

George Town

95 Main St
George Town TAS 7253
03 6382 4400

Devonport

31 Wenvoe St
Devonport TAS 7310
03 6424 8522

Derwent Park

13a Lampton Ave
Derwent Park TAS 7009
03 6273 1499

Burnie

17 Main Rd
Wivenhoe TAS 7320
03 6431 9009

Mornington

14 McIntyre St
Mornington TAS 7018
03 6244 7154

Launceston

93 Forster St
Invermay TAS 7250
03 6332 6000

Kingston

176 Channel Hwy
Kingston TAS 7050
03 6229 4777

SPECIFICATIONS

BODY

Construction:

Light, Medium or Heavy Duty

Standard Body Features:

Smooth Floor

12" /300mm Sides

Rear Tailgate

Optional Body Features:

Checkerplate Floor/ Sides

Front & Rear Tailgates

High Sides (Max 18"/460mm)

Compartment Door Gas Struts

Side/ Tool Boxes

Jockey Wheel

BRAKES

Single Axle:

Not required up to 750 Kg GVM

Hydraulic/ Electric over 750 Kg GVM

Dual/ Tandem/ Tri Axle:

Hydraulic Single Axle Required up to 1990 Kg GVM

4 Wheel Electric Break-away Safe Unit is mandatory for trailers over 1990 Kg GVM

Optional:

Single Axle Electric

Dual Axle Hydraulic or Electric

4 Wheel Electric Break-away Safe Unit

CHASSIS

Material:

Medium Duty RHS

Heavy Duty RHS

WHEELS

Standard:

15" Ford Stud Pattern

2nd Hand Rims & Tyres

Optional:

New Rims & New Tyres

New Rims with 2nd Hand Tyres

New Light Truck Rims with New Tyres

IMPERIAL TO METRIC CONVERSIONS

6' x 4'	=	1800 x 1200mm	8' x 5'	=	2400 x 1500 mm	12' x 6'	=	3650 x 1800 mm
7' x 4'	=	2100 x 1200 mm	9' x 5'	=	2700 x 1500 mm	12' x 6'6"	=	3650 x 2000 mm
7' x 4'6"	=	2100 x 1380 mm	10' x 5'	=	3000 x 1500 mm	14' x 6'6"	=	4200 x 2000 mm
7' x 5'	=	2100 x 1500 mm	10' x 6'	=	3000 x 1800 mm	16' x 6'6"	=	4900 x 2000 mm

GVM = GROSS VEHICLE MASS ALL DIMENSIONS ARE APPROXIMATE RHS = RECTANGULAR HOLLOW SECTION